


PLEATCO FILTER CARTRIDGES

HOW TO PROPERLY MEASURE A FILTER CARTRIDGE

1. Measure the outside diameter (**A**)
2. Measure the overall length including end caps (**B**)
Note: DO NOT include handles, strings or special adapters in this measurement
3. If the top and/or bottom end cap is open, measure the inside diameter of the opening (**C**)
4. Identify the manufacturer and part# of the filter housing in which the replacement cartridge will be installed
5. Identify if there is a center core
6. Count the number of pleats



IMPORTANT:
FILTER CARTRIDGE MEASUREMENTS MAY VARY SLIGHTLY
ALWAYS ALLOW A TOLERANCE OF +/- 1/16 in. (1.6 mm)

PLEATCO FILTER CARTRIDGES

PRODUCT IDENTIFICATION BY MANUFACTURER

ALL MEASUREMENTS = INCHES

1-1/2" MPT = FINE THREAD

1-1/2" SAE = COURSE THREAD

ABER (Pacific Tubs)

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPTL47W-P	6.0	8-1/2	Handle	1-1/2 MPT	47	59.50	6CH-47	FC-0315
4-55-PltPWW50P3	6.0	8-1/16	Handle	1-1/2 SAE	40	52.75	6CH-940	FC-0359

ACRYX - MAAX SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPCAL100	5.0	23-5/8	2-1/8	2-1/8	95	105.26	C-4995	FC-2940
4-55-PltPRB25-IN	5.0	13-5/16	2-1/8	2-1/8	25	30.65	C-4326	FC-2375
4-55-PltPRB37-IN	5.0	13-5/16	2-1/8	2-1/8	37	40.35	C-4637	FC-2380
4-55-PltPRB50-IN	5.0	13-5/16	2-1/8	2-1/8	50	48.75	C-4950	FC-2390

BEACHCOMBER SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPRB17.5SF-PAIR	5.0	4-5/8	2-1/8	2-1/8	35	51.06	C-4401	FC-2386
4-55-PltPRB25SF-PAIR	5.0	6-5/8	2-1/8	2-1/8	50	63.45	C-4405	FC-2387
4-55-PltPRB25-IN	5.0	13-5/16	2-1/8	2-1/8	25	30.65	C-4326	FC-2375
4-55-PltPRB50-IN	5.0	13-5/16	2-1/8	2-1/8	50	48.75	C-4950	FC-2390

ARCTIC SPAS *

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPRB25-IN	5.0	13-5/16	2-1/8	2-1/8	25	30.65	C-4326	FC-2375
4-55-PltPRB50-IN	5.0	13-5/16	2-1/8	2-1/8	50	48.75	C-4950	FC-2390

* BLUE FALLS MANUFACTURING

CAL SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPCAL100	5.0	23-5/8	2-1/8	2-1/8	95	105.26	C-4995	FC-2940
4-55-PltPCAL75	5.0	23-5/8	2-1/8	2-1/8	75	83.51	C-4970	FC-2930
4-55-PltPRB50-IN	5.0	13-5/16	2-1/8	2-1/8	50	48.75	C-4950	FC-2390

PLEATCO FILTER CARTRIDGES

PRODUCT IDENTIFICATION BY MANUFACTURER

ALL MEASUREMENTS = INCHES

1-1/2" MPT = FINE THREAD

1-1/2" SAE = COURSE THREAD

CANSPA MANUFACTURING

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPRB17.5SF-PAIR	5.0	4-5/8	2-1/8	2-1/8	35	51.06	C-4401	FC-2386
4-55-PltPWW50P3	6.0	8-1/16	Handle	1-1/2 SAE	40	52.75	6CH-940	FC-0359

CATALINA/CARRIBEAN SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPRB17.5SF-PAIR	5.0	4-5/8	2-1/8	2-1/8	35	51.06	C-4401	FC-2386
4-55-PltPRB25SF-PAIR	5.0	6-5/8	2-1/8	2-1/8	50	63.45	C-4405	FC-2387
4-55-PltPWW50	6.0	8-1/16	Handle	1-7/8 Keyed	40	52.75	6CH-940	FC-0359

CLEARWATER SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPRB17.5SF-PAIR	5.0	4-5/8	2-1/8	2-1/8	35	51.06	C-4401	FC-2386
4-55-PltPRB25SF-PAIR	5.0	6-5/8	2-1/8	2-1/8	50	63.45	C-4405	FC-2387
4-55-PltPWW50P3	6.0	8-1/16	Handle	1-1/2 SAE	40	52.75	6CH-940	FC-0359

COAST SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPCAL100	5.0	23-5/8	2-1/8	2-1/8	95	105.26	C-4995	FC-2940
4-55-PltPCST80	5/9/16	21-3/8	2-3/16	2-3/16	100	90.20	C-5396	FC-2975
4-55-PltPCST120	5-3/8	29-15/16	2-7/47	2-3/16	150	122.82	C-5351	FC-2976
4-55-PltPRB100	5.0	26-1/2	2-1/8	2-1/8	100	112.45	C-4999	FC-2397
4-55-PltPRB50-IN	5.0	13-5/16	2-1/8	2-1/8	50	48.75	C-4950	FC-2390

COAST MOUNTAIN SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPRB25-IN	5.0	13-5/16	2-1/8	2-1/8	25	30.65	C-4326	FC-2375
4-55-PltPRB35-IN	5.0	9-1/4	2-1/8	2-1/8	35	44.45	C-4335	FC-2385
4-55-PltPRB50-IN	5.0	13-5/16	2-1/8	2-1/8	50	48.75	C-4950	FC-2390

CRYSTAL WATER SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPRB35-IN	5.0	9-1/4	2-1/8	2-1/8	35	44.45	C-4335	FC-2385
4-55-PltPRB50-IN	5.0	13-5/16	2-1/8	2-1/8	50	48.75	C-4950	FC-2390
4-55-PltPSD125	8-1/2	18-1/4	Castle	2-5/8	125	148.97	C-8320	FC-2750



ELM SALES & EQUIPMENT INC.

p: 905.502.6969 f: 905.502.5072 t: 888.502.6960

www.elmsalesandequipment.com

PLEATCO FILTER CARTRIDGES

PRODUCT IDENTIFICATION BY MANUFACTURER

ALL MEASUREMENTS = INCHES

1-1/2" MPT = FINE THREAD

1-1/2" SAE = COURSE THREAD

DYNASTY SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPLBS50	5-5/16	10-1/8	2-1/8	2-1/8	50	49.38	C-5345	FC-2970
4-55-PltPRB17.5SF-PAIR	5.0	4-5/8	2-1/8	2-1/8	35	51.06	C-4401	FC-2386
4-55-PltPRB50-IN	5.0	13-5/16	2-1/8	2-1/8	50	48.75	C-4950	FC-2390
4-55-PltPTL50P	4-7/8	15.0	Handle	1-1/2 MPT	50	63.43	4CH-50	FC-0151
4-55-PltPWW40	5.0	11-1/4	2-1/8	2-1/8	40	52.73	C-4339	FC-2915
4-55-PltPWW50P3	6.0	8-1/16	Handle	1-1/2 SAE	40	52.75	6CH-940	FC-0359

ELITE SPAS - MAAX

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPMAAX50P4	5-3/4	8-7/16	Handle	1-1/2 MPT	35	51.02	5CH-35	FC-0300

HAUGH'S SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPRB25-IN	5.0	13-5/16	2-1/8	2-1/8	25	30.65	C-4326	FC-2375
4-55-PltPRB50-IN	5.0	13-5/16	2-1/8	2-1/8	50	48.75	C-4950	FC-2390

HYDROPOOL INDUSTRIES

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPRB25-IN	5.0	13-5/16	2-1/8	2-1/8	25	30.65	C-4326	FC-2375
4-55-PltPRB35-IN	5.0	9-1/4	2-1/8	2-1/8	35	44.45	C-4335	FC-2385
4-55-PltPRB75	5.0	20-1/8	2-1/8	2-1/8	75	69.60	C-4975	FC-2395

HYDRO SPA

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPGS25P4	4-7/8	9-7/8	Handle	1-1/2 MPT	25	46.69	4CH-24	FC-0131
4-55-PltPRB17.5SF-PAIR	5.0	4-5/8	2-1/8	2-1/8	35	51.06	C-4401	FC-2386
4-55-PltPRB25-IN	5.0	13-5/16	2-1/8	2-1/8	25	30.65	C-4326	FC-2375
4-55-PltPRB35-IN	5.0	9-1/4	2-1/8	2-1/8	35	44.45	C-4335	FC-2385
4-55-PltPRB50-IN	5.0	13-5/16	2-1/8	2-1/8	50	48.75	C-4950	FC-2390
4-55-PltPTL47W-P	6.0	8-1/2	Handle	1-1/2 MPT	47	59.50	6CH-47	FC-0315

JACUZZI

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPJ50-4	10.0	10.0	5-7/8	6.0	50	90.27	C-9650	FC-1460
4-55-PltPJW60TL-F2S	6-5/8	14-7/8	Handle	2.0 SAE thread	60	79.75	6CH-960	FC-2800

PLEATCO FILTER CARTRIDGES

PRODUCT IDENTIFICATION BY MANUFACTURER

ALL MEASUREMENTS = INCHES

1-1/2" MPT = FINE THREAD

1-1/2" SAE = COURSE THREAD

LIFESTYLE SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPRB17.5SF-PAIR	5.0	4-5/8	2-1/8	2-1/8	35	51.06	C-4401	FC-2386
4-55-PltPRB25SF-PAIR	5.0	6-5/8	2-1/8	2-1/8	50	63.45	C-4405	FC-2387
4-55-PltPVT40P	7-1/16	9-7/8	Handle	1-1/2 MPT	40	80.65	7CH-40	FC-0435

MARQUIS SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPPM50SC-F2M	5-1/4	12-3/16	Handle	2.0 MPT	50	64.40	5CH-502	FC-0195

MASTER SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPMA45-2004-R	8-1/4	6-7/8	4-1/16	4-1/16	45	67.46	C-8341	FC-1007
4-55-PltPMA45-2004R-M	8-1/4	6-7/8	4-1/16	4-1/16	45	84.40	C-8341	FC-1007M

MAXX SPAS / COLEMAN SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPMA50P4	5-3/4	8-7/16	Handle	1-1/2 MPT	35	47.61	5CH-35	---
4-55-PltPRB17.5SF-PAIR	5.0	4-5/8	2-1/8	2-1/8	35	51.06	C-4401	FC-2386
4-55-PltPRB25-IN	5.0	13-5/16	2-1/8	2-1/8	25	30.65	C-4326	FC-2375
4-55-PltPRB35-IN	5.0	9-1/4	2-1/8	2-1/8	35	44.45	C-4335	FC-2385
4-55-PltPRB50-IN	5.0	13-5/16	2-1/8	2-1/8	50	48.75	C-4950	FC-2390
4-55-PltPRB25SF-PAIR	5.0	6-5/8	2-1/8	2-1/8	50	63.45	C-4405	FC-2387
4-55-PltPCS50N	8.0	9.0	2-1/8	2.0 Slip	50	64.88	C-8450	FC-3310

NORDIC HOT TUBS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPRB25-IN	5.0	13-5/16	2-1/8	2-1/8	25	30.65	C-4326	FC-2375

PACIFIC SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPRB35-IN	5.0	9-1/4	2-1/8	2-1/8	35	44.45	C-4335	FC-2385
4-55-PltPRB50-IN	5.0	13-5/16	2-1/8	2-1/8	50	48.75	C-4950	FC-2390

SOFTUB SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPGS25P4	4-3/4	10	Handle	1-1/2 MPT	25	46.69	C-4324	FC-0187
4-55-PltPTL20W-SV-P-4	6.0	5-11/16	Handle	1-1/2 MPT	25	52.61	6CH-25	FC-0305



ELM SALES & EQUIPMENT INC.

p: 905.502.6969 f: 905.502.5072 t: 888.502.6960

www.elmsalesandequipment.com

PLEATCO FILTER CARTRIDGES

PRODUCT IDENTIFICATION BY MANUFACTURER

ALL MEASUREMENTS = INCHES

1-1/2" MPT = FINE THREAD

1-1/2" SAE = COURSE THREAD

STRONG SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPSANT20P3	4-3/4	7-1/16	Handle	1-1/2 SAE	20	43.75	----	----
4-55-PltPSANT20P4	4-3/4	7-1/16	Handle	1-1/2 MPT	20	43.75	----	----

SUN RAY SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPRB25-IN	5.0	13-5/16	2-1/8	2-1/8	25	30.65	C-4326	FC-2375
4-55-PltPRB35-IN	5.0	9-1/4	2-1/8	2-1/8	35	44.45	C-4335	FC-2385
4-55-PltPRB50-IN	5.0	13-5/16	2-1/8	2-1/8	50	48.75	C-4950	FC-2390

SUNRISE SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPPG50P4	6.0	8.0	Handle	1-1/2 MPT	40	59.75	-----	Sunrise modification
4-55-PltPRB25SF-PAIR	5.0	6-5/8	2-1/8	2-1/8	50	63.45	C-4405	FC-2387
4-55-PltPRB50-IN	5.0	13-5/16	2-1/8	2-1/8	50	48.75	C-4950	FC-2390
4-55-PltPSN25P4	6.0	6.0	Handle	1-1/2 MPT	50	52.73	----	----
4-55-PltPSN50L-P4	7-1/16	14-1/16	Handle	1-1/2 MPT	50	95.02	----	----
4-55-PltPSN50P4	7-1/16	8-1/16	Handle	1-1/2 MPT	50	86.85	N/A	FC-0530
4-55-PltPSN50SV-P4	7-1/8	6.0	Handle	1-1/2 MPT	50	88.56	----	----
4-55-PltPVT50P4	7-1/16	14-13/16	Handle	1-1/2 MPT	50	96.90	7CH-50	FC-0463

SUPERIOR SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPRB50-IN	5.0	13-5/16	2-1/8	2-1/8	50	48.75	C-4950	FC-2390
4-55-PltPWW10	4-1/4	4.0	2-1/16	2-1/16	10	19.92	C-4310	FC-3077
4-55-PltPWW40	5.0	11-1/4	2-1/8	2-1/8	40	52.73	C-4339	FC-2915
4-55-PltPWW50P3	6.0	8-1/16	Handle	1-1/2 SAE	40	52.75	6CH-940	FC-0359

THERMO SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPRB17.5SF-PAIR	5.0	4-5/8	2-1/8	2-1/8	35	51.06	C-4401	FC-2386
4-55-PltPRB25-IN	5.0	13-5/16	2-1/8	2-1/8	25	38.49	C-4326	FC-2375
4-55-PltPWW10-PAIR	4-1/4	4.0	2-1/16	2-1/16	20	36.49	C-4310	FC-3077
4-55-PltPWW50	6.0	8-1/16	Handle	1-7/8 Keyed	40	52.75	6CH-940	FC-0359
4-55-PltPRB25SF-PAIR	5.0	6-5/8	2-1/8	2-1/8	50	63.45	C-4405	FC-2387

VIKING SPAS

Part No.	Diameter	Length	Top Hole	Bottom Hole	Sq. Ft.	List \$	Cross Reference	
							Unicel	Filbur
4-55-PltPRB25-IN	5.0	13-5/16	2-1/8	2-1/8	25	30.65	C-4326	FC-2375
4-55-PltPWW50	6.0	8-1/16	Handle	1-7/8 Keyed	40	52.75	6CH-940	FC-0359